

Bericht Zeitraum: 01.07.2022 00:10 bis 30.08.2022 24:00

Tagesmittel V75

	Frankf				
	Tw [°C]	O2 [mg/l]	pH [-]	LF [µS/cm 25°C]	TR_F [TEF]
Zeitpunkt	T-MW-V75	T-MW-V75	T-MW-V75	T-MW-V75	T-MW-V75
01.07.2022	24.62	6.99	7.81	1410.6	15.28
02.07.2022	24.42	7.50	7.89	1518.7	14.46
03.07.2022	24.83	8.51	8.04	1555.6	14.43
04.07.2022	25.24	7.53	7.84	1665.8	12.53
05.07.2022	24.84	6.82	7.74	1680.6	10.72
06.07.2022	23.85	6.37	7.73	1583.4	10.01
07.07.2022	22.09	6.54	7.74	1717.0	9.84
08.07.2022	20.96	7.07	7.80	1773.5	9.81
09.07.2022	20.30	7.55	7.86	1467.2	9.54
10.07.2022	19.92	7.78	7.92	1284.5	10.08
11.07.2022	19.76	7.90	7.93	1211.3	9.76
12.07.2022	20.39	7.74	7.90	1169.7	8.94
13.07.2022	21.49	7.47	7.87	1197.0	9.21
14.07.2022	22.43	7.13	7.85	1214.8	9.00
15.07.2022	21.34	7.08	7.86	1215.6	9.02
16.07.2022	20.40	7.19	7.87	1220.3	9.31
17.07.2022	20.01	7.52	7.89	1264.7	8.37
18.07.2022	21.25	7.43	7.86	1350.1	7.44
19.07.2022	22.85	7.29	7.84	1347.9	7.85
20.07.2022	24.63	7.23	7.87	1303.5	7.99
21.07.2022	25.38	6.80	7.88	1298.4	8.92
22.07.2022	25.09	6.65	7.86	1328.1	8.95
23.07.2022	24.30	6.87	7.87	1326.1	9.53
24.07.2022	24.11	7.60	7.94	1279.4	9.80
25.07.2022	24.68	7.78	7.97	1232.5	9.74
26.07.2022	24.60	6.97	7.92	1200.0	9.64
27.07.2022	23.15	7.01	7.92	1212.3	9.25
28.07.2022	22.76	7.53	7.97	1259.9	8.86
29.07.2022	22.76	7.64	8.00	1274.6	8.82
30.07.2022	22.12	7.27	7.96	1267.8	9.28
31.07.2022	21.95	7.36	7.92	1262.0	9.23
01.08.2022	22.67	6.98	7.86	1340.1	8.69
02.08.2022	23.18	7.24	7.88	1426.2	8.55
03.08.2022	24.32	7.28	7.88	1463.2	8.46
04.08.2022	25.50	7.15	7.89	1505.5	8.15
05.08.2022	25.94	6.71	7.87	1695.2	8.15
06.08.2022	24.57	6.83	7.91	1916.0	8.66
07.08.2022	23.88	9.47	8.39	#	13.87
08.08.2022	23.84	11.02	8.88	#	18.59
09.08.2022	23.71	9.79	8.91	#	15.95
10.08.2022	23.68	9.97	8.96	#	15.79
11.08.2022	24.12	9.68	8.93	#	16.07
12.08.2022	23.79	9.12	8.89	#	16.07

13.08.2022	23.40	8.18	8.73	#	15.73
14.08.2022	24.16	8.85	8.73	#	16.25
15.08.2022	24.79	8.73	8.80	#	15.95
16.08.2022	25.26	9.07	8.79	1864.4	15.23
17.08.2022	25.43	9.12	8.71	1716.2	15.18
18.08.2022	25.75	8.61	8.61	1661.2	15.74
19.08.2022	25.00	7.84	8.36	1664.0	17.80
20.08.2022	24.15	6.49	7.95	1683.4	19.47
21.08.2022	23.11	7.37	7.99	1689.9	17.72
22.08.2022	22.17	8.28	8.12	1619.3	17.34
23.08.2022	21.59	8.32	8.13	1568.4	17.63
24.08.2022	21.82	8.86	8.25	1457.3	16.16
25.08.2022	22.46	9.28	8.38	1296.7	16.57
26.08.2022	23.30	9.45	8.44	1227.2	18.26
27.08.2022	23.46	7.95	8.06	1540.7	19.40
28.08.2022	23.01	6.82	7.78	1725.0	19.67
29.08.2022	22.34	7.04	7.81	1698.2	14.23
30.08.2022	#	#	#	#	#

0/0

urt Oder

UV [1/m]	NO3-N [mg/l]	GStrahlg [W/m ²]	TI [°C]	Chlg [µg/l]	Tw [°C]
T-MW-V75	T-MW-V75	T-MW-V75	T-MW-V75	T-MW-V75	T-MW-V75
20.72	1.76	138	22.4	17.80	24.23
20.35	1.71	168	21.5	18.47	23.73
20.48	1.72	195	23.0	16.06	24.35
19.13	1.97	167	23.9	8.44	24.67
18.10	2.09	175	21.9	9.27	24.32
17.42	1.90	141	19.3	9.83	23.36
17.33	1.78	68	16.5	10.49	21.83
17.28	1.75	94	17.8	10.39	20.81
17.36	1.70	103	17.7	9.29	20.35
17.75	1.69	102	16.8	11.32	19.94
17.28	1.70	142	19.2	10.14	19.67
16.61	1.66	168	21.7	8.29	20.36
16.84	1.63	157	25.2	8.35	21.27
16.49	1.63	192	22.6	7.87	22.14
16.35	1.61	134	18.4	8.50	21.63
16.36	1.63	131	18.3	8.89	20.61
15.53	1.63	145	19.1	7.56	19.97
14.89	1.64	186	23.8	6.71	20.92
15.36	1.57	178	27.0	7.00	#
15.83	1.44	178	29.5	8.62	24.17
16.65	1.37	160	27.3	10.73	24.94
16.58	1.37	132	24.1	10.35	24.72
17.10	1.32	102	20.3	6.13	23.69
17.35	1.26	186	22.8	3.89	23.50
17.36	1.21	181	26.0	6.68	24.39
17.09	1.20	132	21.9	12.94	24.24
16.80	1.21	140	19.1	16.09	22.66
16.63	1.21	164	19.5	15.94	22.12
16.52	1.18	118	21.1	15.79	22.39
16.82	1.15	73	19.7	21.58	21.94
16.69	1.18	170	22.9	19.50	22.10
16.37	1.23	90	22.6	17.48	22.41
16.20	1.27	163	23.4	17.12	22.54
15.94	1.30	165	26.4	14.88	24.01
15.69	1.34	172	29.1	13.91	25.45
16.00	1.42	142	26.8	16.86	25.56
16.63	1.52	154	20.0	18.15	#
20.76	1.25	179	20.2	58.39	#
26.40	0.68	156	21.9	149.70	#
26.56	0.63	149	22.4	177.40	23.68
27.30	0.64	167	22.8	#	23.69
28.40	0.66	168	23.6	#	24.11
29.14	0.68	131	23.4	#	24.10

29.27	0.63	84	23.7	#	23.95
29.73	0.62	161	25.9	#	24.53
29.34	0.62	127	24.6	#	25.03
28.41	0.63	156	26.4	#	25.08
27.65	0.63	127	26.7	264.79	25.66
26.60	0.62	145	26.9	231.65	25.90
26.10	0.62	88	24.1	205.80	25.09
25.73	0.63	29	20.9	171.35	24.35
23.61	0.63	83	20.2	145.99	23.23
23.28	0.64	65	18.4	134.21	22.39
22.72	0.67	66	20.7	119.50	21.89
21.31	0.70	99	22.3	114.55	22.23
21.29	0.78	103	22.2	118.06	22.85
21.91	1.05	128	24.7	124.67	23.75
23.01	1.59	83	23.0	91.83	23.76
23.60	1.92	74	19.7	54.94	23.29
21.32	1.97	100	18.8	45.43	22.28
#	#	#	#	#	21.71

Hoher

O2 [mg/l]	pH [-]	LF [μ S/cm 25°C]	TR_F [TEF]	UV [1/m]	NH4 [mg/l]
T-MW-V75	T-MW-V75	T-MW-V75	T-MW-V75	T-MW-V75	T-MW-V75
3.26	7.52	1135.2	8.62	33.20	~
3.92	7.59	1071.6	8.78	30.52	~
4.72	7.68	1040.4	10.25	26.04	~
4.88	7.71	1092.9	11.03	21.16	~
5.17	7.71	1142.8	10.40	21.42	~
5.13	7.80	1234.4	9.28	19.03	~
4.50	7.76	1218.3	9.55	17.31	~
4.87	7.75	1170.3	9.25	18.28	~
4.87	7.78	1236.5	9.58	19.95	~
4.70	7.74	1217.7	8.44	22.01	~
5.35	7.89	1059.1	9.36	22.57	~
5.39	7.90	987.1	9.13	21.28	~
5.09	7.90	951.5	8.82	20.38	~
4.77	7.89	936.6	6.99	22.26	~
5.33	8.04	945.9	7.84	24.92	~
6.86	8.17	942.1	9.29	28.28	~
8.42	8.31	933.2	9.22	27.59	~
8.38	8.32	943.8	8.63	26.00	~
#	#	#	#	#	~
7.49	8.36	998.4	11.33	20.61	~
6.35	8.24	986.5	11.94	22.71	~
5.38	8.11	963.6	11.93	22.57	~
6.05	8.15	982.2	11.45	22.18	~
7.62	8.33	992.2	11.95	25.57	~
7.90	8.47	976.6	13.95	28.41	~
7.17	8.49	946.8	14.98	28.22	~
7.83	8.53	924.7	16.06	27.51	~
8.52	8.59	912.5	17.81	28.52	~
8.76	8.64	908.5	17.64	27.91	~
8.90	8.62	924.9	#	27.11	~
9.86	8.70	924.1	#	26.02	~
8.88	8.58	913.7	#	24.66	~
9.28	8.63	924.8	15.63	23.55	~
9.61	8.63	976.2	171.66	22.81	~
9.03	8.48	1021.4	61.05	20.78	~
7.87	8.32	1065.0	14.05	21.14	~
#	#	#	#	#	~
#	#	#	#	#	~
#	#	#	#	#	~
7.77	8.65	1462.8	18.10	30.86	~
7.70	8.66	1471.2	28.41	32.23	~
8.24	8.75	1445.8	31.35	32.53	~
7.93	8.74	1442.9	17.39	31.49	~

6.89	8.58	1276.9	19.96	32.98	~
6.45	8.45	1279.1	20.28	34.48	~
6.51	8.55	1340.2	20.13	33.74	~
7.21	8.71	1353.4	17.97	30.68	~
7.55	8.72	1331.9	17.16	30.09	~
6.48	8.58	1252.0	16.74	30.50	~
5.68	8.37	1180.7	16.61	29.05	~
5.70	8.18	1145.6	17.91	27.11	~
6.88	8.06	1142.9	20.41	24.32	~
7.82	8.19	1183.0	20.24	22.47	~
7.58	8.16	1180.6	15.79	22.11	~
7.77	8.23	1119.6	16.40	22.21	~
8.14	8.26	1062.7	15.58	22.10	~
8.36	8.43	1016.3	36.60	22.56	~
8.02	8.49	999.6	30.03	22.59	~
7.87	8.35	1190.6	18.42	21.12	~
7.55	8.09	1520.8	13.79	19.58	~
7.71	8.01	1592.8	12.37	19.70	~

iwutzen

NO3-N [mg/l]	GStrahlg [W/m²]	TI [°C]	Tiges [-]	N [-]	E [%]
T-MW-V75	T-MW-V75	T-MW-V75	T-MW-V75	T-MW-V75	T-MW-V75
1.11	167	21.9	3	10	77.99
1.19	297	21.0	17	0	13.10
1.13	329	22.4	16	0	0.10
1.18	301	23.1	16	0	0.08
1.22	305	21.8	15	0	0.00
1.53	170	18.4	7	4	46.59
1.68	74	15.6	0	9	89.36
1.57	151	17.4	0	9	90.35
1.43	191	16.8	0	10	90.29
1.34	258	17.3	0	9	90.25
1.25	224	19.6	0	9	89.96
1.46	303	22.6	0	9	90.28
1.63	184	23.5	0	9	90.45
1.66	306	21.2	3	7	90.03
1.47	202	18.1	19	1	46.22
1.37	240	17.2	17	0	21.56
1.28	248	18.0	16	1	87.04
1.23	251	21.8	17	2	90.26
#	310	25.7	#	#	#
1.11	294	28.4	0	8	90.47
0.96	217	25.8	0	8	91.38
0.95	202	22.5	3	7	92.00
0.98	208	19.3	3	7	91.79
0.80	313	21.7	3	7	90.02
0.62	275	25.5	4	7	91.63
0.51	204	20.6	5	5	93.40
0.42	196	17.7	7	4	92.43
0.27	285	18.8	3	7	83.54
0.14	263	21.1	0	11	83.99
0.04	151	20.8	0	10	89.54
0.00	269	22.6	0	10	90.68
0.00	113	21.2	1	9	89.47
0.00	290	21.6	0	8	89.49
0.00	290	26.4	0	8	92.05
0.44	258	28.6	0	11	86.67
0.78	140	24.0	0	15	84.70
#	313	20.1	0	14	92.05
#	252	19.1	0	14	92.00
#	269	20.9	0	10	91.24
0.51	253	21.8	0	7	90.83
0.44	292	22.3	0	5	93.84
0.42	284	23.1	8	4	84.41
0.45	239	23.7	13	0	6.56

0.41	144	23.8	13	0	2.47
0.38	251	26.0	13	0	1.85
0.40	220	24.4	8	4	43.30
0.46	213	23.7	18	0	20.98
0.47	228	26.1	11	4	50.12
0.47	167	24.3	#	#	#
0.49	88	22.5	#	#	#
0.54	77	21.2	#	3	61.96
0.61	148	19.9	#	3	63.85
0.66	128	18.7	8	4	46.50
0.67	131	20.5	9	3	89.37
0.66	150	21.6	4	3	86.71
0.67	186	22.3	0	4	91.40
0.66	166	23.7	2	5	88.40
0.67	112	22.3	3	6	90.55
1.09	161	20.2	3	6	93.34
1.79	138	17.6	6	4	80.09
2.06	134	18.0	11	2	86.36

Chlg [µg/l]
T-MW-V75
#
#
#
#
#
#
#
#
6.04
5.73
6.03
5.72
5.35
4.86
5.25
5.14
5.45
5.23
#
5.23
5.05
4.27
4.36
4.61
5.57
5.70
5.58
5.89
6.49
7.47
7.63
7.22
6.42
6.79
6.24
5.60
6.78
6.66
#
#
#
#
21.50

21.96
34.43
35.07
23.03
21.13
18.50
17.42
16.63
15.37
14.23
12.74
11.73
11.43
12.43
14.01
12.97
9.78
8.17